




## Identification of coccidiostats in feed additives by means of FT-NIR hyperspectral image analysis

Introduction

Feed additives play an important role in animal nutrition and are authorised within the European Union (EU) according to Regulation (EC) No 1831/2003. An overview of all feed additives currently authorised within the EU is given by the feed additive register regularly updated by the European Commission.

In this study, we focus on the application of spectroscopic methods on the analysis of feed additives containing coccidiostats as active substance. Among the authorised methods for the determination of coccidiostat, HPLC-UV and LC/MS-MS are the most common. By means of this feasibility study, the advantages of spectroscopy are shown for the rapid identification of active substances and feed additives at different manufacture process stages. Moreover, through hyperspectral imaging a fast detection of feed fraud and formulation changes in big batches could be easily achieved.



## Composition

- -Narasin
- -Nicarbazin
- -Anti-dusting oil -Microtracer
- -Anticaking agent
- -Diluent

<u>Jane Omar</u><sup>1</sup>, Damien Vincke<sup>2</sup>, Ana Boix<sup>1</sup>, Juan Antonio Fernandez-Pierna<sup>2</sup>, Vincent Baeten<sup>2</sup>, Christoph von Holst<sup>1</sup> <sup>1</sup> Joint Research Centre, Institute of Reference Materials and Measurements, Retieseweg 111, 2440 Geel, Belgium <sup>2</sup> Centre Wallon de Recherches agronomiques, Chèe de Namur 24, 5030 Gembloux, Belgium

COCCIDIOSTATS, commonly used products in order to inhibit coccidiosis (intestinal disease) in farm animals authorised by Regulation EC 1831/2003.

## Eleven authorised coccidiostats:

- -Lasalocid -Decoauinate
- -Robenidine
- -Salinomycin -Maduramicin
- -Narasin -Diclazuril
- -Semduramicin
- -Diclazuril -Nicarbazin
- -Halofuginone

Perform MCR

Image of Scores on Comp 1 (24.20%) & Scores on Comp 2 (8.50%) & Scores on Comp 3 (67.19%)

Loadings


Narasin (stnd)
Nicarbazin (stnd)
MCR comp1 (nicarbazin)
MCR comp2 (narasin)


0,3

0,2

0,1

6200 5500 5000 4500 4000







In order to follow with this feasibility study, next steps will be...

- ✓ Identifying all the authorised coccidiostat by hyperspectral imaging
   ✓ Potential quantitative analysis
- ✓ Determining the formulations of each of the authorised products

each of C

https://ec.europa.eu/jrc/

Contact

Jone Omar Onaindia

European Commission • Joint Research Centre Institute for Reference Materials and Measurements/Standard for Food Bioscience

Tel. +32 1457-1203

Email: Jone.OMAR-ONAINDIA@ec.europa.eu